

OFFICE OF THE MUNICIPAL COUNCILLORS OF BARASAT
RISHI BANKIM CHANDRA CHATTERJEE ROAD
BARASAT, KOLKATA - 700 124.



Memo No. - BM / 53 / 2026-2027



Phone : 2552 3211
2562 3535

Email:- barasatmunicipality05@gmail.com

Website:- www.barasatmunicipality.org

Date:- 18 / 05 / 2026

TO WHOM IT MAY CONCERN

This is to certify that the school named Kalyani Public School, Moinagodi, Noapara, Barasat, North 24 Paraganas, Kolkata - 700125 is well equipped as regards from public health point of view as the school has the followings:

Easter Side: Vacant land, Western Side: National Highway 34, Northern Side: Delhi Public School, Southern Side: Private House.

1. Sufficient nos. of privy and urinal accommodations both for boys and girls students.
2. Sufficient supply of water.
3. Good drainage arrangement.
4. Proper maintenance of sanitary condition i.e. properly cleaned and ventilised classroom with adequate space sitting accommodations together with lighting arrangements.
5. Sufficient nos. of Drinking Water points for the pupils are also present.
6. The school has safe drinking water having Aqua Guard and R.O. system.
7. Sufficient no. of Fire extinguisher.

For Kalyani Public School

Ankit Roy
Manager

Principal

KALYANI PUBLIC SCHOOL
AFFILIATED TO C.B.S.E.
Moinagadi Barasat, Kolkata-125

Chairman

Barasat Municipality

Chairman
Barasat Municipality